





Fingerprint fuming chamber for Cyanoacrylate development of fingers on non-porous surfaces

## **MEGAfume**

#### **Features**

#### **360 Degree View**

Our MEGAfume series is designed with an exoskeleton supporting temped glass viewing panels. Not only does this make the interior easier to clean, our glass viewing panels and interior lighting give you the best view of your evidence while it develops, to help you get the best results.

Modular Stainless Steel Evidence Racks
All of the evidence racks and mounting brackets in your MEGAfume can be removed or repositioned without any special tools, making it easy to arrange your evidence and giving you full use if the fuming chamber space. These are all made

from stainless steel and sized so they can be put in a laboratory dishwasher.

### Removable Reservoir and Circulation Fan

The chamber air baffle, fan, and water reservoir can be removed from the chamber to make cleaning easier. The anodized aluminium reservoir resists cyanoacrylate adhesion and can be quickly emptied and wiped clean.



#### **Multiple Sizes**

We have multiple sizes of MEGAfume chambers available, including our benchtop S61 model, the standing M61 model, and our XL61 model for much larger pieces of evidence such as bicycles or laboratories that simply need to fume much larger volumes of evidence at once.



#### **Advanced Control Options**

#### **Pre-Programmed and Custom Development Cycles**

One-touch cycle options for developers such as cyanoacrylate (liquid or powder, and fluorescent or non-fluorescent versions like Lumicyano from Crime Science Technology) make choosing your development settings easy. Custom cycle options let users modify and save

cycles to best suit their needs, depending on the type of evidence they have and developer they are using. All chamber parameters and your cycle progress can be monitored live on-screen.



Our new filter management system helps you get the most out of your filter, monitoring what type and how much developer you are using to better guide you on how much filter life you have left. Our system has an on-screen indicator for your remaining filter life, and when the old filter is saturated, it can be replaced in a matter of seconds without any special tools.

**Coming Soon:** On-screen guides, including guides for routine maintenance tasks like filter changes.

#### **USB Process Data Logger**

MEGAfume features a data logger system which records all parameters relevant to a development cycle for quality control and documentation. This data can be downloaded onto a USB and viewed on a PC, or loaded into our report template to create custom reports for department quality control documentation.

#### **PIN-Secured Door Function**

The large door makes it easy to load evidence, and is automatically locked by the control system during development processes to prevent accidental opening during a process. In addition, the door can be PIN-secured to prevent unauthorized access to evidence.








#### **Specialized Evidence Racks**

Starter Development Kit

We've developed long-pin racks and brackets made his kit includes everything you need to start specifically for holding evidence like bottles, cans, and eveloping prints with your MEGA fume. It includes handguns. We also offer specialized support bracket tandard cyanoacrylate developer, developer pans, for longer evidence like rifles, bats, and pipes.

and a variety of clips and hooks for your evidence.

# Optional Useful MEGAfume Accessories



#### **UV-C Decontamination Unit**

This removable UV-C unit connects to your MEGAfume automatically and lets you run UV-C cycles to better help break down biological contamination such as DNA.




#### **Accessory Storage Box**

This storage box contains shelving to hold UV-C units, evidence racks, brackets, and rods, as well as other accessories you may have. It is designed to fit perfectly under our larger standing models.

MEGAfume XL is Attestor's cyanoacrylate fuming chamber for developing latent fingerprints on non-porous surfaces such as plastic, glass, metal or similar surfaces.

Our fuming chamber is designed to give you reliable performance, high-quality results, and the most control over your evidence development. Every unit is equipped with our innovative, user-friendly control panel. In addition to custom cycle options, our system has several pre-programmed cycle options for liquid, powder, fluorescent, and non-fluorescent cyanoacrylate developers.



The colour display shows you the progress of your evidence development as a cycle runs, and our datalogger records the data for your cycle, including all chamber parameters for quality documentation. Because our fuming chambers are designed with an exoskeleton and adjustable chamber lighting, the interior chamber space is maximized and gives you a 360-degree view of your evidence as it develops. Removable stainless steel evidence racks and accessories are dishwasher safe and make it easy to clean the chamber interior and decontaminate it.

Our new XL model gives you extra space for larger evidence volumes and pieces of evidence, all with the same user-friendly control system and easy-to-maintain sturdy design.

Technical D			
	MEGAfume S61	MEGAfume M61	MEGAfume XL 61
Exterior Dims (HxWxD)	<b>95 x 68 x 75 cm</b> (on height adjustable feet, incl. control display)	195 x 68 x 75 cm (on casters incl. control display)	207 x 150 x 103 cm (on casters incl. control display)
Interior Dims (HxWxD)	75 x 58 x 61 cm	125 x 58 x 61 cm	185 x 141 x 70 86 cm
Levels	2	4	6
Volume	264 L	442 L	2044 L
Fuming Temperature		100°C - 230° C	
Humidity Range		60 - 90% RH	
Integrated Illumination		LED illumination (cold light) (one LED stripe along the full height in each corner)	
Air Filter System	Integrated Activated Carbon Filter Cassette (apx.180 cycles, with standard amount of pure cyanoacrylate)	Integrated Activated Carbon Filter Cassette (apx.180 cycles, with standard amount of pure cyanoacrylate)	Integrated Activated Carbon Filter Cassette (apx.140 cycles with standard amount of pure cyanoacrylate
Electrical Data			
Voltage:		<b>230V/50Hz AC</b> (ap115V / 60 Hz in preparation)	
Power:		max. 500 W	
Current		ca. 5 A	

#### **OFFICES**

**OPIRA BRISBANE** 32 DIVIDEND ST

**OPIRA MELBOURNE** 25 GRAHAM RD MANSFIELD, QLD 4122 CLAYTON SOUTH, VIC

**OPIRA PERTH** 9 EARLSTON PLACE BOORAGOON WA 6154 FORESTVILLE, NSW 2087

**OPIRA SYDNEY** 20 DUKE STREET

CONTACT

300 157 969





